

2014 Florida Youth Substance Abuse Survey

Broward County Data Tables

Table 1. Major demographic characteristics of surveyed Broward County and Florida Statewide, 2014

	Broward County		Florida Statewide	
	N	%	N	%
Sex				
Female	935	49.8	33,366	50.6
Male	909	48.4	31,377	47.6
Race/Ethnic group				
African American	561	29.9	9,713	14.7
American Indian	15	0.8	1,334	2.0
Asian	46	2.5	1,356	2.1
Hispanic/Latino	476	25.4	10,514	16.0
Native Hawaiian/Pacific Islander	8	0.4	227	0.3
Other/Multiple	393	20.9	10,781	16.4
White, non-Hispanic	365	19.4	31,356	47.6
Age				
10	2	0.1	66	0.1
11	81	4.3	4,444	6.7
12	241	12.8	10,292	15.6
13	289	15.4	11,827	17.9
14	263	14.0	10,782	16.4
15	288	15.3	9,199	14.0
16	276	14.7	8,050	12.2
17	248	13.2	6,988	10.6
18	158	8.4	3,537	5.4
19 or older	25	1.3	506	0.8
Grade				
6th	250	13.3	11,546	17.5
7th	260	13.9	12,154	18.4
8th	265	14.1	11,481	17.4
9th	319	17.0	9,454	14.3
10th	254	13.5	8,108	12.3
11th	291	15.5	7,281	11.0
12th	238	12.7	5,893	8.9
Overall Middle School	775	41.3	35,063	53.2
Overall High School	1,102	58.7	30,649	46.5
Total	1,877	100.0	65,917	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Broward County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014

	Broward County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.2	49.7	43.6	35.2	27.0	51.4	39.3	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	17.0	19.8	14.5	--	17.9	17.0	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	7.5	16.8	12.7	12.9	7.9	17.1	12.9	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	7.7	28.0	22.0	16.8	8.6	30.4	19.4	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	5.8	4.3	7.6	--	6.1	5.8	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	9.3	4.4	6.7	6.3	9.0	4.3	6.5	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	1.0	3.3	3.2	1.4	1.0	3.2	2.3	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	1.3	3.8	2.6	3.0	1.4	3.7	2.7	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	1.4	0.5	0.7	1.1	1.0	0.9	0.9	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	0.8	2.3	1.6	1.7	0.9	2.2	1.7	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.8	0.3	0.3	0.7	0.7	0.4	0.5	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	1.9	4.3	4.2	2.2	2.3	4.1	3.3	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	2.1	6.3	4.9	4.1	2.4	6.4	4.5	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	1.0	4.3	3.5	2.2	1.4	4.0	2.9	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.5	0.2	0.1	0.6	0.4	0.3	0.3	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	2.6	6.2	4.8	4.5	3.0	6.1	4.7	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	17.9	33.7	29.1	24.8	18.8	35.9	27.0	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	14.9	17.0	15.8	16.2	14.9	17.7	16.1	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	15.1	22.5	21.2	17.9	15.9	22.3	19.4	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	32.8	55.9	50.0	42.4	34.5	58.0	46.1	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	7.9	6.4	6.7	7.5	7.8	7.0	7.1	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Broward County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014

	Broward County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.8	23.6	20.3	15.4	10.3	25.2	17.8	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	3.5	12.0	9.5	7.3	4.1	12.6	8.4	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	1.0	4.0	2.6	2.6	1.2	3.5	2.7	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	4.1	16.0	12.2	9.7	5.1	16.7	11.0	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	1.0	0.5	1.6	--	1.4	1.0	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	3.3	1.0	2.2	1.8	3.0	1.2	2.0	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.4	0.9	0.9	0.5	0.4	1.0	0.7	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.8	1.1	1.1	1.0	0.6	1.3	1.0	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.7	0.2	0.2	0.6	0.5	0.3	0.4	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.4	0.6	0.2	0.8	0.3	0.7	0.5	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.7	0.1	0.1	0.7	0.6	0.2	0.4	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	1.0	1.6	2.0	0.6	1.1	1.8	1.4	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	1.3	2.5	2.6	1.6	1.3	3.0	2.0	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	0.6	1.3	1.4	0.5	0.7	1.4	1.0	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.3	0.2	0.2	0.4	0.3	0.3	0.3	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	1.0	2.8	1.9	2.2	1.3	3.3	2.0	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	9.7	19.8	16.7	14.2	10.3	21.1	15.5	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	6.9	8.5	8.5	7.2	6.8	9.6	7.8	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	6.1	12.8	11.0	8.9	6.4	14.1	10.0	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	15.4	32.3	27.7	22.5	16.4	34.6	25.2	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	5.7	9.2	7.8	7.4	6.3	9.8	7.7	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Broward County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total															
Alcohol	44.8	65.5	56.0	37.9	64.1	52.2	36.6	64.1	52.0	33.2	59.4	48.3	28.4	59.5	46.2	25.2	49.7	39.3
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17.0	17.0
Cigarettes	20.3	34.7	28.1	12.5	29.3	21.7	11.3	25.8	19.4	10.8	21.9	17.2	7.8	21.1	15.5	7.5	16.8	12.9
Marijuana or Hashish	10.0	28.7	20.2	4.9	24.8	15.7	6.7	27.0	18.1	7.8	26.9	18.8	7.1	34.8	23.0	7.7	28.0	19.4
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	9.2	9.2	--	5.8	5.8
Inhalants	17.3	7.6	12.0	15.1	7.4	10.8	12.8	9.0	10.6	13.1	4.4	8.1	9.4	7.0	8.0	9.3	4.4	6.5
Club Drugs	--	--	--	--	--	--	1.3	--	1.3	1.4	4.2	3.0	1.3	4.6	3.2	1.0	3.3	2.3
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.8	--	0.8	1.1	4.2	2.8	1.4	3.8	2.8	1.3	3.8	2.7
Methamphetamine	1.7	1.2	1.5	1.9	1.0	1.4	1.2	1.0	1.1	1.3	0.7	0.9	1.9	0.9	1.3	1.4	0.5	0.9
Cocaine or Crack Cocaine	--	--	--	--	--	--	1.4	--	1.4	1.4	2.9	2.3	0.5	1.5	1.1	0.8	2.3	1.7
Heroin	0.9	0.9	0.9	0.4	0.4	0.4	0.7	0.9	0.8	0.3	1.4	0.9	0.4	0.7	0.5	0.8	0.3	0.5
Depressants	2.9	8.2	5.8	2.0	5.5	3.9	1.3	5.7	3.7	1.7	4.7	3.4	1.0	4.8	3.2	1.9	4.3	3.3
Prescription Pain Relievers	4.9	8.0	6.6	4.1	5.2	4.7	3.9	6.2	5.2	2.9	5.7	4.5	2.9	5.5	4.4	2.1	6.3	4.5
Prescription Amphetamines	1.2	2.5	1.9	1.6	2.2	1.9	1.1	3.2	2.3	1.0	3.4	2.4	1.0	3.2	2.3	1.0	4.3	2.9
Steroids (without a doctor's order)	1.0	0.7	0.9	0.7	0.5	0.6	0.4	0.8	0.6	0.3	0.2	0.2	0.5	0.6	0.6	0.5	0.2	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	4.0	--	4.0	4.2	6.0	5.2	4.0	6.2	5.3	2.6	6.2	4.7
Any illicit drug	25.7	32.8	29.6	20.3	31.8	26.4	19.9	33.4	27.5	21.5	33.2	28.2	18.8	41.3	31.7	17.9	33.7	27.0
Any illicit drug other than marijuana	22.3	16.7	19.3	18.2	17.0	17.4	16.6	18.8	17.8	17.3	16.6	16.9	14.6	18.7	17.0	14.9	17.0	16.1
Alcohol only	26.1	35.2	30.9	23.0	36.8	30.7	22.6	33.6	28.8	17.8	30.5	25.1	16.6	24.0	20.9	15.1	22.5	19.4
Alcohol or any illicit drug	51.4	67.8	60.1	43.0	67.9	56.6	42.2	66.7	56.0	39.2	63.4	53.1	35.2	65.3	52.5	32.8	55.9	46.1
Any illicit drug, but no alcohol	6.8	2.6	4.6	5.4	4.5	4.8	5.9	2.9	4.2	6.1	4.1	4.9	6.9	6.2	6.5	7.9	6.4	7.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Broward County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total															
Alcohol	24.0	36.0	30.3	18.7	34.1	27.1	16.8	37.3	28.3	14.8	34.1	25.9	11.2	31.3	22.7	9.8	23.6	17.8
Binge Drinking	8.8	17.2	13.3	5.6	17.0	11.8	5.0	18.8	12.7	4.4	16.8	11.5	4.4	16.8	11.5	3.5	12.0	8.4
Cigarettes	5.4	10.0	7.8	2.5	7.8	5.4	2.3	8.2	5.6	1.5	6.2	4.2	2.1	5.3	3.9	1.0	4.0	2.7
Marijuana or Hashish	5.0	14.6	10.2	2.5	11.4	7.3	3.5	14.0	9.4	4.3	15.3	10.6	3.7	19.0	12.5	4.1	16.0	11.0
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	3.0	3.0	--	1.0	1.0
Inhalants	7.8	2.0	4.6	5.9	1.9	3.7	5.4	2.3	3.7	3.7	1.4	2.4	3.6	2.1	2.8	3.3	1.0	2.0
Club Drugs	--	--	--	--	--	--	0.3	--	0.3	0.2	2.0	1.2	0.2	1.5	0.9	0.4	0.9	0.7
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.4	--	0.4	0.3	1.0	0.7	0.6	1.4	1.1	0.8	1.1	1.0
Methamphetamine	0.9	0.2	0.6	0.3	0.0	0.1	0.6	0.5	0.6	0.3	0.3	0.3	0.7	0.7	0.7	0.7	0.2	0.4
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.5	--	0.5	0.3	1.3	0.9	0.2	0.5	0.3	0.4	0.6	0.5
Heroin	0.4	0.2	0.3	0.0	0.2	0.1	0.4	0.4	0.4	0.0	0.5	0.3	0.2	0.2	0.2	0.7	0.1	0.4
Depressants	0.8	2.3	1.6	0.9	2.1	1.6	0.5	2.1	1.4	0.4	1.4	1.0	0.5	1.5	1.1	1.0	1.6	1.4
Prescription Pain Relievers	1.8	2.0	1.9	1.8	2.2	2.0	1.7	2.3	2.1	1.5	1.6	1.6	1.2	2.2	1.8	1.3	2.5	2.0
Prescription Amphetamines	0.2	0.7	0.5	0.8	0.4	0.6	0.5	0.9	0.7	0.2	0.7	0.5	0.5	0.9	0.7	0.6	1.3	1.0
Steroids (without a doctor's order)	0.7	0.5	0.6	0.1	0.3	0.2	0.3	0.4	0.3	0.0	0.2	0.1	0.1	0.4	0.3	0.3	0.2	0.3
Over-the-Counter Drugs	--	--	--	--	--	--	1.9	--	1.9	1.3	2.1	1.8	2.0	2.6	2.4	1.0	2.8	2.0
Any illicit drug	14.3	17.2	15.9	9.2	15.3	12.5	9.8	17.6	14.2	8.5	18.5	14.2	9.2	22.4	16.8	9.7	19.8	15.5
Any illicit drug other than marijuana	11.7	6.6	8.9	8.1	7.1	7.5	7.5	8.2	7.9	5.5	7.1	6.4	6.4	7.7	7.1	6.9	8.5	7.8
Alcohol only	15.3	22.7	19.2	14.4	24.0	19.7	12.2	24.6	19.2	10.2	22.3	17.1	7.0	16.9	12.7	6.1	12.8	10.0
Alcohol or any illicit drug	29.2	39.7	34.7	23.3	38.3	31.5	21.6	41.5	32.8	18.5	39.9	30.8	16.0	38.9	29.1	15.4	32.3	25.2
Any illicit drug, but no alcohol	5.0	3.9	4.5	4.9	4.9	4.9	5.2	4.5	4.8	3.8	6.1	5.1	5.0	8.2	6.8	5.7	9.2	7.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Broward County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014

	Broward County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	21.9	22.1	21.4	--	23.1	21.9	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	4.5	4.7	4.1	--	4.8	4.5	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	8.1	7.4	8.3	--	7.7	8.1	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	8.3	7.8	8.3	--	9.0	8.3	--	11.4	9.1	13.6	--	11.4	11.4
Great risk of harm														
1 or 2 drinks nearly every day	49.4	42.7	48.4	42.7	48.7	42.3	45.6	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	62.3	53.5	60.1	55.1	61.1	54.7	57.2	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	67.3	69.8	69.2	68.8	68.7	71.2	68.7	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	54.2	24.4	36.9	37.1	52.0	23.4	36.9	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	39.0	16.5	24.0	27.7	37.2	16.0	25.9	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	65.3	70.2	69.1	67.7	66.1	71.4	68.1	71.7	70.8	72.3	70.3	72.0	70.7	71.2
Think it would be wrong to...														
Smoke cigarettes	95.4	87.3	91.0	91.0	95.3	89.3	90.8	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	88.7	64.1	72.5	76.8	86.9	64.1	74.5	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	90.2	65.2	75.7	76.0	89.3	64.3	75.9	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	98.0	91.8	95.1	94.2	97.3	91.9	94.4	97.4	92.9	95.2	94.5	97.2	92.9	94.8
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	98.2	92.8	94.9	95.2	97.7	93.3	95.1	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	98.7	96.3	97.6	97.0	97.9	97.5	97.3	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	96.9	90.1	93.8	92.1	96.6	89.7	93.0	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	97.6	96.7	96.5	97.6	97.2	97.4	97.1	98.3	97.2	97.3	98.1	98.2	97.2	97.7
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	91.3	81.7	85.5	86.7	90.9	81.5	85.8	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	95.7	89.0	92.2	91.8	95.2	89.9	91.9	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	88.8	61.1	72.2	73.4	87.4	59.6	72.9	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	96.5	92.2	93.9	94.7	96.3	92.2	94.0	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Broward County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total															
Early ATOD use																		
Try alcohol	--	36.9	36.9	--	40.1	40.1	--	31.8	31.8	--	24.0	24.0	--	25.5	25.5	--	21.9	21.9
Drink monthly	--	5.8	5.8	--	5.9	5.9	--	5.5	5.5	--	4.6	4.6	--	4.9	4.9	--	4.5	4.5
Smoke cigarettes	--	23.5	23.5	--	19.3	19.3	--	14.0	14.0	--	9.4	9.4	--	9.8	9.8	--	8.1	8.1
Smoke marijuana	--	10.5	10.5	--	9.4	9.4	--	8.1	8.1	--	8.0	8.0	--	9.7	9.7	--	8.3	8.3
Great risk of harm																		
Daily alcohol use	39.7	43.9	42.1	45.9	43.2	44.5	45.6	45.5	45.6	46.4	46.2	46.3	48.2	40.6	43.8	49.4	42.7	45.6
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	62.3	53.5	57.2
Daily cigarette use	65.3	67.9	66.7	73.3	70.4	71.7	69.2	71.6	70.6	68.7	68.0	68.3	70.0	67.2	68.4	67.3	69.8	68.7
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.2	24.4	36.9
Try marijuana	43.5	24.6	33.3	44.2	29.2	36.1	41.7	23.6	31.4	40.3	23.4	30.6	36.1	18.1	25.7	39.0	16.5	25.9
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	66.2	66.2	65.3	70.2	68.1
Think it wrong																		
Smoke cigarettes	88.1	76.4	81.8	91.6	79.2	84.7	93.9	77.6	84.6	92.9	83.1	87.3	94.8	83.6	88.4	95.4	87.3	90.8
Drink regularly	75.4	54.0	63.8	79.6	56.2	66.7	82.0	53.9	66.0	83.1	59.5	69.6	85.2	57.3	69.1	88.7	64.1	74.5
Smoke marijuana	90.0	73.8	81.3	94.0	76.9	84.5	92.7	72.0	80.9	90.3	72.7	80.3	90.0	62.8	74.4	90.2	65.2	75.9
Use other illicit drugs	96.4	94.6	95.4	97.9	95.8	96.6	97.5	93.9	95.4	97.1	94.3	95.5	97.5	93.1	94.9	98.0	91.8	94.4
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	98.2	92.8	95.1
Smoke cigarettes	96.8	94.4	95.5	97.9	95.0	96.3	98.4	95.2	96.6	98.4	96.0	97.0	98.9	96.7	97.6	98.7	96.3	97.3
Smoke marijuana	97.4	94.1	95.6	98.7	93.6	95.9	97.9	93.8	95.6	98.3	93.3	95.5	97.7	92.2	94.5	96.9	90.1	93.0
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	97.6	96.7	97.1
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.3	81.7	85.8
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	95.7	89.0	91.9
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.8	61.1	72.9
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.5	92.2	94.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Broward County and Florida Statewide youth, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	14.6	13.3	16.9	--	15.0	14.6	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	3.2	4.1	1.8	--	2.6	3.2	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	0.8	0.0	2.0	--	1.0	0.8	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	9.1	8.9	9.7	--	8.6	9.1	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	43.5	46.8	39.0	--	44.1	43.5	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	0.0	0.0	0.0	--	0.0	0.0	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	10.6	12.1	8.8	--	10.1	10.6	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	18.3	14.7	21.7	--	18.5	18.3	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Broward County and Florida Statewide youth, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.8	39.0	29.0	--	31.0	34.8	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	38.0	35.7	41.9	--	43.2	38.0	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	1.6	1.9	1.3	--	1.8	1.6	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	3.5	5.3	1.0	--	4.2	3.5	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	9.0	9.6	7.9	--	6.8	9.0	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	0.9	0.5	1.5	--	1.2	0.9	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	3.2	2.4	4.4	--	3.0	3.2	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	9.0	5.6	13.1	--	8.9	9.0	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Broward County and Florida Statewide youth, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	30.0	35.7	20.8	--	32.4	30.0	--	26.1	29.4	22.0	--	26.0	26.1
2	--	25.7	25.1	25.9	--	23.6	25.7	--	22.5	23.9	20.7	--	22.4	22.5
3	--	13.4	12.9	14.7	--	13.6	13.4	--	16.6	17.1	16.3	--	16.7	16.6
4	--	11.3	15.0	5.9	--	10.1	11.3	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	19.7	11.2	32.6	--	20.4	19.7	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Broward County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.3	6.4	5.5	4.6	3.9	6.6	5.1	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	3.8	12.0	9.9	7.0	4.4	13.2	8.5	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	1.8	3.3	2.9	2.4	1.9	3.4	2.7	1.8	4.1	3.1	3.1	1.9	4.3	3.1

Table 12. Percentages of Broward County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	3.3	3.2	1.9	4.5	3.5	2.8	3.2	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	1.4	5.1	1.9	5.1	1.4	5.7	3.5	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	0.6	0.9	0.5	0.9	0.7	1.0	0.8	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	1.7	3.0	1.8	2.8	1.5	3.2	2.4	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.7	0.3	0.4	0.6	0.6	0.3	0.5	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	9.1	9.1	6.6	11.0	8.4	11.5	9.1	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	7.2	6.0	6.0	7.1	6.9	6.7	6.5	6.7	7.0	6.1	7.7	6.5	7.6	6.9

Table 13. Trends in delinquent behaviors for Broward County, 2004 to 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
Carrying a handgun	2.7	3.5	3.1	3.2	4.4	3.8	3.2	3.8	3.5	3.4	3.4	3.4	2.2	3.4	2.9	3.3	3.2	3.2
Selling drugs	3.2	6.1	4.8	1.3	5.3	3.5	2.3	5.8	4.2	2.8	6.6	5.0	2.1	5.6	4.1	1.4	5.1	3.5
Attempting to steal a vehicle	3.3	3.5	3.4	0.9	3.2	2.2	2.2	1.9	2.0	1.9	2.0	2.0	0.9	2.7	1.9	0.6	0.9	0.8
Being arrested	5.2	5.2	5.2	2.9	5.3	4.3	4.1	5.2	4.7	3.7	4.6	4.2	2.2	4.5	3.5	1.7	3.0	2.4
Taking a handgun to school	0.6	1.0	0.8	0.1	1.5	0.9	0.7	0.9	0.8	0.7	0.9	0.8	0.4	0.9	0.7	0.7	0.3	0.5
Getting suspended	16.4	12.6	14.3	10.6	12.8	11.8	14.5	11.0	12.5	14.5	11.4	12.7	9.0	9.0	9.0	9.1	9.1	9.1
Attacking someone with intent to harm	14.9	12.5	13.5	10.3	12.8	11.7	11.4	11.3	11.4	9.3	9.2	9.2	7.4	7.8	7.6	7.2	6.0	6.5

Table 14. Percentages of Broward County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	50.5	45.6	39.1	56.4	50.6	46.8	47.7	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	15.6	10.3	10.5	14.8	14.9	11.8	12.5	13.1	11.1	9.3	14.4	13.0	11.4	12.0

Table 15. Percentages of Broward County and Florida Statewide youth who reported involvement in bullying behavior, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bullying caused worry	39.5	25.0	39.0	24.0	37.9	25.5	31.2	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	4.7	4.7	5.9	3.6	4.9	4.3	4.7	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	17.1	7.7	9.4	13.9	16.5	8.0	11.7	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	35.8	21.6	30.3	25.2	34.4	22.8	27.6	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	5.8	6.8	9.2	3.7	6.0	7.0	6.4	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	6.9	3.8	5.0	5.3	7.0	4.0	5.1	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	14.2	8.8	11.5	10.8	14.0	8.8	11.1	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	2.5	3.9	3.9	2.9	2.4	4.0	3.3	3.1	3.9	4.0	3.2	3.1	4.1	3.6

Table 16. Percentages of Broward County and Florida Statewide youth who reported gang membership, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.2	4.2	3.2	4.4	2.5	5.1	3.8	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	24.2	15.4	17.3	18.5	20.0	17.6	17.8	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	2.6	2.4	2.8	--	3.1	2.6	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Broward County and Florida Statewide youth, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	6.6	6.9	6.4	--	7.8	6.6	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	6.0	6.5	6.0	--	7.6	6.0	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	4.1	2.8	5.6	--	3.5	4.1	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	0.3	0.7	0.0	--	0.5	0.3	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	5.6	4.0	7.4	--	6.8	5.6	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	4.6	5.0	4.6	--	4.6	4.6	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	0.9	0.9	0.9	--	1.2	0.9	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	4.2	2.8	5.6	--	4.7	4.2	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

Table 18. Percentages of Broward County and Florida Statewide youth who reported participation in extracurricular activities, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	32.3	38.9	32.5	39.9	33.3	38.9	36.1	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	44.9	28.5	32.3	38.3	44.2	29.0	35.5	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	10.3	6.8	8.2	8.7	10.0	6.2	8.3	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	19.8	33.2	34.6	20.8	21.5	32.6	27.5	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	8.0	14.2	14.0	9.3	8.3	14.2	11.6	9.5	13.8	15.1	9.0	9.8	13.6	11.9

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Broward County and Florida Statewide youth, 2014

	Broward County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<i>Riding in a vehicle</i>														
Alcohol	--	14.8	18.0	11.4	--	14.0	14.8	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	22.2	24.7	20.1	--	23.1	22.2	--	23.5	24.4	22.7	--	23.8	23.5
<i>Driving a vehicle</i>														
Alcohol	--	5.9	6.9	4.2	--	5.3	5.9	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	9.7	9.1	9.7	--	10.1	9.7	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Broward County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>															
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	18.4	18.4	--	14.8	14.8
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	27.0	27.0	--	22.2	22.2
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	7.0	7.0	--	5.9	5.9
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	10.9	10.9	--	9.7	9.7

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Broward County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Broward County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Rewards for Prosocial Involvement	47	65	48	61	56	63
Family	Family Opportunities for Prosocial Involvement	62	62	60	58	59	54
	Family Rewards for Prosocial Involvement	55	58	55	56	54	55
School	School Opportunities for Prosocial Involvement	52	66	51	62	57	60
	School Rewards for Prosocial Involvement	46	58	50	60	53	58
Peer and Individual	Religiosity	45	59	47	57	56	62
Average Prevalence Rate		51	61	52	59	56	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Broward County, Florida Statewide youth and the national normative database, 2014

Domain	Scale	Broward County		Florida Statewide		National Norms	
		Middle School	High School	Middle School	High School	Middle School	High School
Community	Community Disorganization	50	46	44	46	47	47
	Transitions and Mobility	59	60	58	62	47	46
	Laws and Norms Favorable to Drug Use	38	29	36	33	42	42
	Perceived Availability of Drugs	37	27	40	31	45	45
	Perceived Availability of Handguns	21	30	24	37	25	42
Family	Poor Family Management	41	36	40	38	44	45
	Family Conflict	37	31	38	33	42	37
School	Poor Academic Performance	38	45	42	43	45	48
	Lack of Commitment to School	51	52	52	52	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	33	38	36	40	46
	Favorable Attitudes toward ATOD Use	31	33	32	38	39	45
	Early Initiation of Drug Use	22	23	25	26	41	46
Average Prevalence Rate		39	37	39	40	42	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 23. Protective factor prevalence rate trends among middle school students for Broward County, 2004 to 2014

Domain	Scale	Broward County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	50	55	52	53	51	47
Family	Family Opportunities for Prosocial Involvement	53	65	59	58	61	62
	Family Rewards for Prosocial Involvement	49	60	54	51	57	55
School	School Opportunities for Prosocial Involvement	43	53	57	54	54	52
	School Rewards for Prosocial Involvement	38	46	46	50	51	46
Peer and Individual	Religiosity	53	54	56	52	52	45
Average Prevalence Rate		48	56	54	53	54	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 24. Risk factor prevalence rate trends among middle school students for Broward County, 2004 to 2014

Domain	Scale	Broward County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	46	41	50	54	45	50
	Transitions and Mobility	64	57	59	55	56	59
	Laws and Norms Favorable to Drug Use	42	38	40	41	33	38
	Perceived Availability of Drugs	47	43	47	43	39	37
	Perceived Availability of Handguns	20	19	22	20	19	21
Family	Poor Family Management	52	46	47	47	41	41
	Family Conflict	49	35	43	43	38	37
School	Poor Academic Performance	47	40	44	41	41	38
	Lack of Commitment to School	59	52	52	51	49	51
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	55	48	46	42	41	39
	Favorable Attitudes toward ATOD Use	49	41	39	40	35	31
	Early Initiation of Drug Use	46	37	33	30	27	22
Average Prevalence Rate		49	42	42	42	39	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Broward County, 2004 to 2014

Domain	Scale	Broward County					
		2004	2006	2008	2010	2012	2014
Community	Community Rewards for Prosocial Involvement	60	61	60	62	57	65
Family	Family Opportunities for Prosocial Involvement	49	47	55	56	56	62
	Family Rewards for Prosocial Involvement	46	47	54	56	50	58
School	School Opportunities for Prosocial Involvement	62	63	64	63	63	66
	School Rewards for Prosocial Involvement	53	54	56	57	55	58
Peer and Individual	Religiosity	60	63	61	65	61	59
Average Prevalence Rate		55	56	58	60	57	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

Table 26. Risk factor prevalence rate trends among high school students for Broward County, 2004 to 2014

Domain	Scale	Broward County					
		2004	2006	2008	2010	2012	2014
Community	Community Disorganization	52	56	52	55	53	46
	Transitions and Mobility	67	66	64	63	62	60
	Laws and Norms Favorable to Drug Use	31	29	32	34	32	29
	Perceived Availability of Drugs	38	36	36	35	29	27
	Perceived Availability of Handguns	35	40	35	32	29	30
Family	Poor Family Management	52	59	48	43	42	36
	Family Conflict	39	35	36	35	34	31
School	Poor Academic Performance	49	48	44	44	47	45
	Lack of Commitment to School	46	44	44	47	46	52
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	47	45	34	36	33
	Favorable Attitudes toward ATOD Use	37	39	38	33	37	33
	Early Initiation of Drug Use	35	33	29	24	27	23
Average Prevalence Rate		40	40	40	38	41	37

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.